ARIZONA GAME AND FISH DEPARTMENT HERITAGE DATA MANAGEMENT SYSTEM

Invertebrate Abstract Element Code: <u>IICOL5B010</u>
Data Sensitivity: No

CLASSIFICATION, NOMENCLATURE, DESCRIPTION, RANGE

NAME: Heterelmis stephani

COMMON NAME: Stephan's Heterelmis Riffle Beetle

SYNONYMS:

FAMILY: Elmidae

AUTHOR, PLACE OF PUBLICATION: Brown, H.P. 1982: Entomological News, 83:229-238.

TYPE LOCALITY: Bog Springs, Pima County, Arizona

TYPE SPECIMEN: Holotype to be deposited at Canadian National Museum, Ottawa. K. Stephan. 16 May

1970.

TAXONOMIC UNIQUENESS:

DESCRIPTION: Male - Length 2.3-2.6 mm (0.09-0.10 in); breadth 1.05-1.20 mm (0.04-0.05 in). Body elongate ovid, sides subparallel. Elytra barely wider than prothorax; moderately strongly convex. Surface inconspicuously pubescent clothed with fine, golden, recumbent hairs. Cuticle moderately shining, ranging in color from light brown to dark brown, elytra often lighter than pronotum, legs light brown to reddish brown, basal segment of each tarsus with 3 short stout spines; antennae and mouthparts testaceous to reddish brown. Body elongate, sides subparallel; elytra barely wider than thorax, 2.3-2.6 mm (0.09-0.1 in.) long, 1.04-1.2 mm (0.04-0.05 in.) wide.

Female - generally similar to male externally except for proportions; e.g. pronotum 0.93 mm (0.37 in.) broad and 0.875 mm (0.04 in.) long; 0.90 mm (0.04 in.) broad at base and 0.65 mm (0.03 in.) at apex; elytra more than twice as long as pronotum, being 1.85 mm (0.07 in.) long; prosternum proportionately broader, being 0.88 mm (.04 in.) wide and 0.62 mm (0.25 in.) long. Transverse sutural ridge between mesosternum and metasternum raised medially. Genitalia relatively elongate.

AIDS TO IDENTIFICATION: *H. stephani* considerably smaller than *H. longula* with which it could be confused. *H. stephani* is 2.3-2.6 mm (0.09-0.10 in) long compared with 3.5-4.0 mm (0.14-0.16 in.) for *H. longula*. *H. stephani* also lacks distinct transverse and longitudinal pronotal impressions.

ILLUSTRATIONS: (Brown 1972:232)

B&W Drawing (Brock and Prchal 2001)

TOTAL RANGE: Bog, Kent and Sylvester Springs, all in Madera Canyon, in the Santa Rita Mountains,

Pima and Santa Cruz counties, Arizona.

RANGE WITHIN ARIZONA: See "Total Range."

SPECIES BIOLOGY AND POPULATION TRENDS

BIOLOGY: As little is known of *H. stephani*, information is extrapolated from other members of the family Elmidae. Elmid larvae completely aquatic, generally detritivores, eating detritus, encrusting algae, and waterlogged wood. Pupation occurs in small cells in moist sand, beneath rocks, under loose bark, or in other protected sites near water. Adults commonly fly and may be taken at lights shortly after emergence. Once submerged, adults may never return to the surface and may live for more than one year. Adults occur in same habitats and have same food habits as larvae. Adults probably survive by receding up to several centimeters into moist pockets of soil when water flow decreases. Consequently population dynamics of *H. stephani* are probably closely linked to spring flow.

-2-

The genus *Heterelmis* is mostly neotropical in distribution with about 14 species scattered throughout most of South and Central America (Brown 1981, Bosse et al. 1988).

REPRODUCTION: Unknown

FOOD HABITS: Detritivores. See "**BIOLOGY:** "

HABITAT: Submerged wood. Adult *H. stephani* have been collected from waterlogged,

decomposing wood, leaf litter and detritus in small seeps and springs.

ELEVATION: 5,000 - 7,000 ft. (1525 - 2135 m)

PLANT COMMUNITY: Oak Woodland

POPULATION TRENDS:

SPECIES PROTECTION AND CONSERVATION

ENDANGERED SPECIES ACT STATUS: C (USDI, FWS 2002)

[SC USDI, FWS 1996] [C2 USDI, FWS 1994] [C2 USDI, FWS 1991] [C2 USDI, FWS 1989]

STATE STATUS: None

OTHER STATUS: Forest Service Sensitive (USDA, FS Region 3 1999)
[Forest Service Sensitive USDA, FS Region 3 1988]

MANAGEMENT FACTORS: Any development concerning Bog Springs or the water flow in surrounding areas should employ measures to mitigate all impacts to running water including erosion, siltation, pollution, and groundwater drawdown. Additionally, recreationists that visit Bog Springs Campground and surrounding areas should be required to bring in water rather than rely on Bog Springs flow. Consequently, the amount of water captured for domestic use could be decreased and runoff to local habitats and the amount of habitat suitable for *H. stephani* could be increased. These springs should be returned to a natural free-flowing state.

PROTECTIVE MEASURES TAKEN:

SUGGESTED PROJECTS: Concerted effort should be made to search for *H. stephani* in all springs in Madera Canyon and adjacent areas. Searches should only be considered verifiable if they are conducted by riffle beetle experts as members of Elmidae are typically disturbed patchily in various microhabitats and are very difficult to find.

LAND MANAGEMENT/OWNERSHIP: USFS - Coronado National Forest, Nogales Ranger District.

SOURCES OF FURTHER INFORMATION

LITERATURE CITATIONS:

- Brock, J. and S. Prchal. 2001. Sensitive Insect Species of the Coronado National Forest. A Training Project by Sonoran Arthropod Studies Institute.
- Brown, H.P. 1972. Synopsis of the genus *Heterelmis* Sharp in the United States, with description of a new species from Arizona (Coleoptera, Dryopoidea, Elmidae). Entomological News 83:229-238.
- Johnson, R. 1992. Unpublished status report for United States Fish and Wildlife Service, Arizona Ecological Services, Phoenix, Arizona.
- Merrit, R.W. and K.W. Cummins. 1978. An introduction to the aquatic insects of North America. Kendall/Hunt Publishing Co. Dubuque, Iowa. 29, 228
- USDA, Forest Service Region 3. 1988. Regional Forester's Sensitive Species List.
- USDA, Forest Service Region 3. 1999. Regional Forester's Sensitive Species List.
- USDI, Fish and Wildlife Service. 1989. Endangered and Threatened Wildlife and Plants; Animal Notice of Review. Federal Register 54(4):570.
- USDI, Fish and Wildlife Service. 1991. Endangered and Threatened Wildlife and Plants; Animal Candidate Review for Listing as Endangered or Threatened Species, Proposed Rule. Federal Register 56(225):58826.
- USDI, Fish and Wildlife Service. 1994. Endangered and Threatened Wildlife and Plants; Animal Candidate Review for Listing as Endangered or Threatened Species, Proposed Rule. Federal Register 59(219):59015.
- USDI, Fish and Wildlife Service. 1996. Endangered and Threatened Wildlife and Plants: Review of Plant and Animal Taxa that are Candidates for Listing as Endangered or Threatened Species. Federal Register 61(40):7596-7613.
- USDI, Fish and Wildlife Service. 2002. Endangered and Threatened Wildlife and Plants: Review of Plant and Animal Taxa that are Candidates for Listing as Endangered or Threatened Species. Federal Register 67(114):40675.

MAJOR KNOWLEDGEABLE INDIVIDUALS:

- Cheryl B. Barr Department of Biological Sciences, California State University, Sacramento, California 95819. (916)278-6164.
- Harley P. Brown (emeritus) Department of Zoology, University of Oklahoma, Norman, Oklahoma 73019. (405)321-8593.
- William D. Shepard Department of Biological Sciences, California State University, Sacramento, California 95819. (916)278-6164.
- P.J. Spangler Department of Entomology, National Museum of Natural History, Smithsonian Institution, Washington, D.C.
- K. Stephan Red Oak, Oklahoma

ADDITIONAL INFORMATION:

H.stephani is apparently absent from the stream in Madera Canyon, probably because it almost completely dries up during portions of the year, whereas the springs provide continuous flow and moist pockets of soil throughout the year. Additionally, the stream consists of a different habitat as it is cold and fast-flowing compared to the spring/seep habitats in the area.

Revised: 1992-03-24 (DBI)

1993-06-17 (DBI) 1997-03-02 (SMS) 2001-02 (SP) 2002-8-28 (AMS)

To the user of this abstract: you may use the entire abstract or any part of it. We do request, however, that if you make use of this abstract in plans, reports, publications, etc. that you credit the Arizona Game and Fish Department. Please use the following citation:

Arizona Game and Fish Department. 2001. *Heterelmis stephani*. Unpublished abstract compiled and edited by the Heritage Data Management System, Arizona Game and Fish Department, Phoenix, AZ. 4 pp.